



Canadian Association of Radiologists Journal 60 (2009) 163–165

CANADIAN  
ASSOCIATION OF  
RADIOLOGISTS  
JOURNAL[www.carjonline.org](http://www.carjonline.org)

Canadian Resident's Corner / Coin canadien des résidents en radiologie

## Case of the Month #156

Leigh A. Jansen, BSc<sup>a</sup>, Charlotte J. Yong-Hing, MD<sup>b</sup>, Ravi Bhargava, MD, FRCPC<sup>b,\*</sup><sup>a</sup>Michael G. DeGroote School of Medicine, McMaster University, West Hamilton, Ontario, Canada<sup>b</sup>Department of Radiology and Diagnostic Imaging, University of Alberta Hospital, Edmonton, Alberta, Canada

## Clinical Presentation

A 6-month-old boy with an unremarkable medical history presented with a visible, palpable, nontender congenital

midline nasal mass at the glabella, with no associated discharge or skin changes. He was referred to our hospital for magnetic resonance imaging of the head. Selected images at presentation (Figures 1–3) are shown below.




Figure 1. (A) T2-weighted sagittal image through the midline and (B) T2-weighted axial image through the nasal mass.

\* Address for correspondence: Ravi Bhargava, MD, FRCPC, Department of Radiology and Diagnostic Imaging, University of Alberta Hospital WMC, 2B2.41 8440-112 Street, Edmonton, Alberta T6G 2B7, Canada.

E-mail address: [rb4@ualberta.ca](mailto:rb4@ualberta.ca) (R. Bhargava).




Figure 2. (A) T1-weighted sagittal image through the midline and (B) T1-weighted axial image through the nasal mass.




Figure 3. T1 with fat saturation sagittal image through the midline.

**Case #156**

**Diagnosis:**

---

---

---

---

**Radiologic Findings:**

---

---

---

---

**Discussion:**

---

---

---

---